



STANDARD PRICE LIST - EUROPE -

		MODEL	Order number	MAIN FEATURES	LIST PRICE
CAMERA	BW	ICD-38E AC230V	050244/0	1/3"ccd over 380line, 0.07Lux/F1.2(30IRE), durable metal design, BLC,	€157
		AC24V	050249/0	AES, AGC, mirror image, DC/VIDEO, C/CS MADE IN JAPAN	
		ICD-39E AC230V	050254/1	1/3"ccd over 560line, 0.03Lux/F1.2, Durable Metal Design, BLC,	€245
		HR AC24/DC12V	050259/1	AES, AGC, Microphone, DC/VIDEO, C/CS	
		ICD-48E AC230V	050237/0	1/2"ccd over 560line, 0.015lux/F1.2 (0.0065lux/F0.6) near IR sensitivity (800~1000nm), DSP, BLC/SPOT, AES, AGC,	€747
		Near IR AC24/DC12V	050238/0	GENLOCK, Manual Shutter/Variable shutter (~1/100,000sec), RS-485, DC/VIDEO, C/CS (C-mount adaptor)	
		ICD-49E AC24/DC12V	050239/0	1/2"ccd over 560line, Super Cube Metal Housing, 0.015lux/F1.2 (0.0065lux/F0.6) near IR sensitivity (800~1000nm),	€550
		Near IR		DSP, BLC, AES, AGC, DC/VIDEO, C/CS (C-mount adaptor)	
	COLOUR	ICD-505P AC24/DC12V	052305/0	1/3"ccd over 520line, Super Cube Metal Housing, ACK(Electronic Day/Night) 0.35lux(col) 0.15lux(B/W)/F1.2(30IRE), DSP	€325
		ACK HR		ATW, AES, BLC, AGC(switchable), LL/XTAL, DC/VIDEO, C/CS MADE IN JAPAN	
		ICD-508P AC230V	052300/0	1/3"ccd, ACK(Electronic Day/Night) over 520line, Durable Metal Housing, 0.35lux(col) 0.15lux(B/W)/F1.2(30IRE), DSP, ATW,	€315
		ACK HR AC24/DC12V	052301/0	AES, BLC, AGC(switchable), LL/XTAL, DC/VIDEO, C/CS MADE IN JAPAN	
	ICD-808P AC230V	052170/0	1/3"ccd over 530line, 0.5lux/F1.4, Durable metal design, ATW, BLC, SPOT, AES, Super AGC,	€650	
	HR AC24/DC12V	052171/0	ID Character, Remote Control, Variable Shutter ~100,000sec (512steps), genlock, CS, VIDEO/DC MADE IN JAPAN		
	ICD-828P AC230V	052172/0	1/2"ccd over 530lines, 0.15lux/F1.4, Durable metal design, ATW, BLC, SPOT, AES, Super AGC, ID Character,	€763	
	HR AC24/DC12V	052173/0	Remote control, Variable Shutter ~100,000sec (512steps), Genlock, CS, VIDEO/DC MADE IN JAPAN		
	WDR	ISD-A10 AC24/DC12V	052320/0	1/3" DPS imager, over 480line, 0.03Lux/F1.4(AGC on, Sense up x32), Hyper Dynamic, OSD, Super Cube Metal Housing	€525
	D/N	ICD-831P AC230V	052330/0	1/3"ccd over 540line(col)570line(mono), 0.3lux(col)/0.06(mono)/F1.2, Moving IR cut filter,	€340
		HR AC24/DC12V	052331/0	ATW, BLC, AES, AGC, 50dB, C/CS, VIDEO/DC, INT/LL	
		ICD-833P AC230V	052332/0	1/3"ccd over 500line(col)530line(mono), 0.3lux(col)/0.06(mono)/F1.2, Moving IR cut filter, WDR(x80),	€480
		HyperDynamic AC24/DC12V	052333/0	ATW, BLC, M-DET, Privacy Mask, AES, AGC, C/CS, VIDEO/DC, INT/LL	
	ICD-848P AC230V	052174/0	1/2"ccd over 480line, 0.15lux(colour)/0.015lux(mono)/F1.4, Moving IR cut filter	€1 088	
		Near IR AC24/DC12V	052175/0		ATW, BLC, SPOT, AES, Super AGC, ID, Variable Shutter, Genlock, C/CS, VIDEO/DC, MADE IN JAPAN
	FIXED DOME	ICD-68E (4-9mm) AC24V	052183/0	1/3" B/W ccd over 380line, 0.1Lux/F1.4, Varifocal Lens(4-9mm), Smoke Dome Cover,	€275
			Clear Dome Cover/Ceiling Mount Adaptor(option), BLC, AEC, AGC, Mirror Image, LL, MADE IN JAPAN		
ICD-608P (4-9mm) AC24/DC12V		052184/0	1/3"colour ccd over 480line, 1Lux/F1.4, Varifocal Lens(4-9mm), Smoke Dome Cover,	€438	
			Clear Dome Cover/Ceiling Mount Adaptor(option), BLC, AEC, AGC, LL/XTAL, MADE IN JAPAN		
SID-600P AC24/DC12V		052190/0	1/4"colour ccd over 480line, 1.0Lux(30IRE), 0.008Lux(Sense up x128), Anti-Vandal Dome Housing(IP66),	€500	
IP66			Zoom Lens(3.6-43.2mm), 10x Digital Zoom, Auto Focus, Motion Detection, Alarm Output, RS485		
SID-650P AC24/DC12V	052113/0	1/4"colour ccd over 480line, Day/Night, WDR, Anti-Vandal Dome Housing(IP66),	€700		
HD Near IR		Zoom Lens(3.6-43.2mm), 10x Digital Zoom, Auto Focus, Motion Detection, Alarm Output, RS485			
SID-650TP AC24/DC12V	052118/0	1/4"colour ccd over 480line, Day/Night, WDR, Anti-Vandal Dome Housing(IP66),	€700		
HD Near IR		Zoom Lens(3.6-43.2mm), 10x Digital Zoom, Auto Focus, Motion Detection, Alarm Output, RS485, Tile Mount interface			
SPEED DOME	PCS-418P AC24V	053112/1	Indoor Tile Mount Preset Dome, IP54, 1/4" colour ccd, 480TVL, 0.7Lux, 18x Zoom(4.1-73.8mm), 12x D-Zoom, 12x P-Mask, 63x Pre.Position	€2 250	
	CIT		4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection		
	PCS-418P AC24V	053111/1	Indoor Preset Dome, IP54, 1/4" colour ccd, 480TVL, 0.7Lux, 18x Zoom(4.1-73.8mm), 12x D-Zoom, 12x P-Mask, 63x Pre.Position	€2 440	
	CIWP		4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection		
	PCS-418P AC24V	053110/1	External Preset Dome, IP67, 1/4" colour ccd, 480TVL, 0.7Lux, 18x Zoom(4.1-73.8mm), 12x D-Zoom, 12x P-Mask, 63x Pre.Position	€2 740	
	CEWP		4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection		
	PCS-418P AC24V	053102/1	Indoor Tile Mount Preset Dome, IP54, 1/4" D/N ccd, 480TVL, 0.7Lux/0.05Lux(B/W), 18x Zoom(4.1-73.8mm), 12x D-Zoom, 63x Pre.Position	€2 390	
CMIT		4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection			
PCS-418P AC24V	053101/1	Indoor Preset Dome, IP54, 1/4" D/N ccd, 480TVL, 0.7Lux/0.05Lux(B/W), 18x Zoom(4.1-73.8mm), 12x D-Zoom, 63x Pre.Position	€2 580		
CMiWP		4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection			
PCS-418P AC24V	053100/1	External Preset Dome, IP67, 1/4" D/N ccd, 480TVL, 0.7Lux/0.05Lux(B/W), 18x Zoom(4.1-73.8mm), 12x D-Zoom, 63x Pre.Position	€2 880		
CMEWP		4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection			



STANDARD PRICE LIST - EUROPE -

	MODEL	Order number	MAIN FEATURES	LIST PRICE	
CAMERA	SPEED DOME	PCS-426P AC24V	053122/1	Indoor Tile Mount Preset Dome, IP54, 1/4" D/N ccd, 480TVL, 0.7Lux/0.05Lux(B/W), 26x Zoom(3.5-91.0mm), 12x D-Zoom, 63x Pre.Position 4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection	€2 570
		CMIT			
		PCS-426P AC24V	053121/1	Indoor Preset Dome, IP54, 1/4" D/N ccd, 480TVL, 0.7Lux/0.05Lux(B/W), 26x Zoom(3.5-91.0mm), 12x D-Zoom, 63x Pre.Position 4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection	€2 760
		CMIWP			
		PCS-426P AC24V	053120/1	External Preset Dome, IP67, 1/4" D/N ccd, 480TVL, 0.7Lux/0.05Lux(B/W), 26x Zoom(3.5-91.0mm), 12x D-Zoom, 63x Pre.Position 4x Pattern Tours, 8x Slow/8x FastTours, H360°/V200°sec, Protocol(RS-485 and Coax), incl. Wall/Pendant bracket, PSU, Surge Protection	€3 060
		CMEWP			
		PCS-WPB	053175/1	Wall/Pendant Bracket (External/Indoor use)	€130
		PCS-SNB	053176/1	Swan Neck Bracket (External/Indoor Use)	€130
		PCS-CMA	053177/1	Corner Mount Adaptor (External/Indoor use)	€125
	Accessory	PCS-ALCX8	053181/1	Alarm Card Box incl. Power Supply Unit	€410
		PCS-PSU	053180/1	Power Supply Unit (External/Indoor use)	€250
		RCU-701	030150/0	Camera Remote Control Unit for ICD-808P, 828P, 848P via Coax Cable	€622
		RSU-871	030152/0	RS232C Camera Remote Control Unit for ICD-808P, 828P, 848P via Coax Cable, incl. Software	€572
		WH-6	061265/0	Wall Bracket for SID-600P	€82
		CN-6	061266/0	Corner Mount for SID-600P	€50
		DCC-9C	061190/0	Clear Dome Cover for SID-600	€55
		WH-65	061268/0	Wall Bracket for SID-650P	€98
		CN-65	061269/0	Indoor Corner Mount for SID-650TP	€75
		XHG-6829	325089/0	Ceiling Mount for ICD-68E/608P	€90
M3-K322445-0E	550375/0	Dome Cover for ICD-68E ICD-608P	€30		
DCC-9C	061190/0	Clear Dome Cover for SID-600	€55		
LENS	TTV3010M	745080/1	1/3" f=3.0-8mm/F1.0 Manual iris, Aspherical Vari-Focal, Beige Body Colour	€72	
	TTV3010DC	745081/1	1/3" f=3.0-8mm/F1.0 DC iris, Aspherical Vari-Focal, Beige Body Colour	€86	
	TTV2814M	745082/1	1/3" f=2.8-12mm/F1.4 manual iris, Aspherical Vari-Focal, Beige Body Colour	€97	
	TTV2814DC	745083/1	1/3" f=2.8-12mm/F1.4 DC iris, Aspherical Vari-Focal, Beige Body Colour	€113	
	TTV5014M	745084/1	1/3" f=5-50mm F/1.4 Manual iris, Aspherical Vari-Focal, Beige Body Colour	€148	
	TTV5014DC	745085/1	1/3" f=5-50mm F/1.4 DC iris, Aspherical Vari-Focal, Beige Body Colour	€174	
	TTV4012M-IR	745077/1	1/2" f=4.0-12mm F/1.2 Manual iris, IR, Manual iris, Vari-Focal, Black Body	€150	
	TTV4012DC-IR	745072/1	1/2" f=4.0-12mm F/1.2 DC iris, IR, Manual iris, Vari-Focal, Black Body	€168	
	TTV1014M-IR	745076/1	1/2" f=10-40mm F/1.4 Manual iris, IR, Manual iris, Vari-Focal, Black Body	€177	
	TTV1014DC-IR	745071/1	1/2" f=10-40mm F/1.4 DC iris, IR, Manual iris, Vari-Focal, Black Body	€186	
DVR	SDR-301	065191/0	1CH Video/Audio Input 1CH Video/Audio Output, 80GB HDD Recorder, 640(H)x240(V), M-JPEG Non-PC Based, Real Time Recording 25fps, Multiplexer Interface, Alarm In/Out, 10/100base LAN Interface, Viewer Software, MADE IN JAPAN	€997	
	SDR-304	065192/0	4CH Video Input, 1CH Audio Input, 2CH Video/Audio Output, 80GB HDD, 720(H)x240(V) further specifications same as SDR-301 MADE IN JAPAN	€1 497	
T-SIP	IEN-T01P	052450/0	Triple Scalable IP Network Encoder, 1ch video in/output(loop through), JPEG2000, 25fps(7levels), Image quality(5levels), Max. 720x576(6size), Audio(half-Duplex), M-DET, Alarm in/out, P.Mask, RS-232C, RS-485(-LAN), DC12V/AC24V, PoE	€1 375	
	IPD-Q01P	052400/0	Triple Scalable IP Network Camera, 480TVL 0.7Lux/F1.2, AES, BLC, 1ch video output(loop through), JPEG2000, 25fps(7levels) Image quality(5levels), Max. 720x576(6size), Audio(half-Duplex), M-DET, Alarm in/out, P.Mask, DC12V/AC24V, PoE	€1 500	
	INR-Q500	052480/0	Triple Scalable IP Network Recorder, 32ch input(max.), 240fps(720x576/Quality A), Linux OS, 500GB HDD std(max. 1TB) DVD burner built-in, 10BASE-T/100BASE-TX/1000BASE-T, AC230V	€11 200	
MONITOR	TFT	LCM-1550	110131/0	15" TFT, 1024x768, 450cd/m², BNC 2ch, Y/C 1ch, Audio 2ch, AC230V input, Wall mount(VESA), Rack mount	€925
		LCM-1750	110132/0	17" TFT, 1280x1024, 300cd/m², BNC 2ch, Y/C 1ch, Audio 2ch, AC230V input, Wall mount(VESA), Rack mount	€1 000
		LCM-1950	110133/0	19" TFT 1280x1024 300cd/m², BNC 2ch, Y/C 1ch, Audio 2ch, AC230V input, Wall mount(VESA), Rack mount	€1 220
	COLOUR	VCM-901	110058/0	9" CRT colour, 300line, 2CH Video/Audio Input, 2CH Video/Audio Output, Y/C Input, Metal Housing,	€645
		CMF-1580	110024/0	15" FLAT CRT colour, 360line, 4CH Video/Audio Input, 1CH Video/Audio Output, Buid in Audio Speaker,	€370
		CMK-1770	110044/1	17" CRT colour, 450line, 2CH Video/Audio Input, 1CH Y/C Video/Audio Output, Metal Housing, 19" Rackmount Available	€825
		CMF-2180	110025/0	21" FLAT CRT colour, 450line, 4CH Video/Audio Input, 1CH Video/Audio Output, VCR In/Output Video/Audio, 4way Switcher,	€600
		PM-K5	115040/0	5" CRT mono, 700line, 1CH Video In/Output, Ex.Sync Input(option), Durable Metal Housing,	€345
		PM-K12	115060/0	12" CRT mono, 750line, 1CH Video In/Output, Ex.Sync Input/Underscan(option), Durable Metal Housing,	€268
B/W	PM-159	115168/0	15" CRT mono, 800line, 1CH Video In/Output, Durable Metal Housing,	€300	



STANDARD PRICE LIST - EUROPE -

		MODEL	Order number	MAIN FEATURES	LIST PRICE
MONITOR	Accessory	Rackmount 3x PM-K5	321190/1	19" Rackmount for 3pcs of PM-K5 with Grey Colour	€162
		Rackmount 1x PM-K12	321192/1	19" Rackmount for 1pce of PM-K12 with Grey Colour	€162
		Rackmount 2 x VCM-901	321196/0	19" Rackmount for 2pcs of VCM-901 with Grey Colour	€110
		Rackmount 1 x CMF-1580	321194/1	19" Rackmount for 1pce of CMF-1580 with Grey Colour	€230
		Rackmount 1x CMK-1770	321116/1	19" Rackmount for 1pce of CMK-1770 with Grey Colour	€190
		RMK-1550	321199/0	LCM-1550 Rack mount kit (Left&Right)	€45
		RMK-1750	321197/0	LCM-1750 Rack mount kit (Left&Right)	€45
		RMK-1950	321198/0	LCM-1950 Rack mount kit (Left&Right)	€45
		WMK-50	321581/0	Wall mount kit with screws	€65

Delivery conditions:

- All prices are based on Ex-warehouse Neuss Germany.
- European duty included.
- VAT excluded.
- 3years of warranty after invoice day.
- 1year of warranty for CRT, TFT panel and backlight after invoice day.

Acronym

ACK	Automatic Chroma Killer (Electronics Day/Night function)
AES	Automatic Electronics Shutter
AGC	Auto Gain Control
ATW	Auto Tracking White Balance
BLC	Back Light Compensation
C/CS	C-mount/CS-mount
DC/VIDEO	DC/VIDEO iris lens control
DSP	Digital Signal Processor
INT	Internal Lock
LL	Line Lock
M-DET	Motion Detection
SPOT	Back Light Compensation area selectable
WDR	Wide Dynamic Range
XTAL	Crystal Lock